



Jijamata Education Society's

College of B.Sc. Nursing,

Nandurbar, Tal. Dist. Nandurbar-425412 (Maharashtra)

Annexure – V

Clinical Material in Hospital

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 20226-2027

Clinical Material in Hospital


Name of College/Institute- Jijamata Education Society's College Of B.sc Nursing Nandurbar
Faculty- Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	100 Bedded Parent Hospital	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Corporation	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual	3:1 Ratio	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	80 %	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Attach Report	Attach Report
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:-



Dean/ Principal Stamp & Signature
Jijamata Education Society's
College of B.Sc.Nursing
Waghoda Road, Nandurbar



सर्वजनिक आरोग्य विभाग
महाराष्ट्र शासन



सत्यमेव जयते
महाराष्ट्र शासन



GOVERNMENT OF MAHARASHTRA - HEALTH SERVICE
GENERAL HOSPITAL, NANDURBAR DIST. NANDURBAR

Phone No. Office Tal. No.	(02564) 21022 - 210121 / 210136	Fax No. 02564 - 210136 email - csnandurbar@gmail.com
		No. CHN/BNHRA/9861/2024 Date : 19/01/2024

Certificate of Registration under Section 5 of the Bombay Nursing Homes
Registration Act. 1949.
(Under Rule 5)

This is to certify that Shri./Smt. Dr. Shirishkumar Nimbajirao Shinde [MS]
has been registered that under the Bombay Nursing Homes Registration Act. 1949 in

Respect of Medicare Surgical and Dental Hospital.

situated at Plot No 59,65,66,67 Govardhan Hills Nandurbar.

and has been authorized to carry on the said Nursing Home.

Registration No. : 37/2010 Maternity 10 Beds

Dated of Registration : - 03/09/2010

Other Nursing Patients : 140 Beds

Place : Nandurbar

Date of Issue of Certificate :- 19/01/2024

This Certificate shall be valid up to 01/04/2022 To 31/03/2027



Renewal Record

S. S. S.
CIVIL SURGEON
CIVIL HOSPITAL NANDURBAR
Civil Surgeon
Civil Hospital, Nandurbar.

Sr. No.	Date	Renewal Period	Signature of Authority & Stamp

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/M.S.I

No:- Format1.0/CC/UAN No.0000200102/CO/2406001375

Date: 14/06/2024

To,
MEDICARE SURGICAL AND DENTAL HOSPITAL
Plot No.65, 66, 67,
At-Goverdhan Hills, Nandurbar,
Tal & Dist.Nandurbar-425412
Email:nimshospitalnandurbar@gmail.com
Contact No.:9371977778



Your Service is Our Duty

Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/PSO/UAN No0000110740/CO-2105000574 dated 14.05.2021
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/02/2024
 3. Minutes of 3rd CC meeting (Agenda B) held on 16.05.2024

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent and BMW Authorization to HCE with increase in bed number from under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-04-2023 To 29-04-2027**
2. The capital investment of the HCF is **₹1678.09 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1860.00 M² with Built-up area 1600.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **150 Nos.** (As per BNH certificate no. 37 valid upto 31-03-2027)
 - I. General Beds : **34 Nos**
 - II. ICU/ICU Beds : **23 Nos**
 - III. Operation Theatre : **6 Nos**
 - IV. Maternity Beds : **10 Nos**
 - V. Oncology Beds : **10 Nos**
 - VI. Other Beds : **67 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 40 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions about Non Hazardous Wastes:-

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
		NA			

9. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

10. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Siddhivinayak Enterprises, Nandurbar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. You shall submit the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
19. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Dinaz

Generated by Printflex
 367d788c
 4f26f23b
 5cba794d
 ffeb9f8c
 ee730c65
 7a45b695
 aedb3426
 9aabdbe9

Signed by: Dr. Avinash Dhakne
 Member Secretary
 For and on behalf of,
Maharashtra Pollution Control Board
 ms@mpcb.gov.in
 2024-06-14 22:59:23 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	TXN2402005141	23/02/2024	Online Payment
2	47000.00	TXN2404001512	08/04/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Dhule
- - They are directed to ensure the compliance of the consent conditions.*
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	40.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	32	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	838.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Siddhivinayak Enterprises, Nandurbar Nandurbar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	140.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Siddhivinayak Enterprises, Nandurbar Nandurbar
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Siddhivinayak Enterprises, Nandurbar Nandurbar
4	Blue	a) Glassware	80.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Siddhivinayak Enterprises, Nandurbar Nandurbar
		b) Metallic body implants	0.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Siddhivinayak Enterprises, Nandurbar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nashik.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



सिध्दीविनायक एंटरप्रायजेस प्रा. लि.

जैविक घनकचरा बायो मेडिकल वेस्ट कंपनी (नंदुरबार जिल्हाकरिता)
वावद शिवार, ता. जि. नंदुरबार

Regd. No. MPCB/JD(PAMS)BMW-Nashik-25/2012, Dt. 8/10/2012

कायम सभासद नोंदणी फॉर्म

फॉर्म क्र. 989

फॉर्म भरल्याचा दिनांक: 20/01/2021

- नंदुरबार महानगरपालिका / नगरपालिका / ग्रामपंचायत अंतर्गत
- १) डॉक्टरांचे नांव :- श्री/सौ. संचालक सा. लि. लिमिटेड
- २) स्पेशलिटी : मेडिकल सर्जिकल आणि डेंटल हॉस्पिटल
- ३) दवाखाना/लॅबचे नांव : 100 बेड मेडिकल हॉस्पिटल
- ४) गावाचे नाव नंदुरबार ता. नंदुरबार जि. नंदुरबार
- ५) संपूर्ण पत्ता : प्लॉट नं. - 65/66/67 गोवर्धन हिल्स, नंदुरबार
जि. नंदुरबार - 425212
- ६) फोन - हॉस्पिटल 02564-226666 निवास 226667 मोबाईल 9822619488
- ७) हॉस्पिटलला असलेल्या एकूण बेड्सची संख्या : 100
- ८) मागील वर्षी सभासदत्व झोले/ नाही नाही

फॉर्म सोबत दिलेल्या सिध्दीविनायक एंटरप्रायजेस प्रा. लि. बायोमेडिकल वेस्ट कंपनीच्या कायम सभासदांसाठी असलेल्या सूचना, अटी व नियम मी वाचल्या असून त्या मला मान्य आहेत.

चेअरमन

(विकांत म. शिंदे)

सिध्दीविनायक एंटरप्रायजेस प्रा. लि., नंदुरबार

डॉक्टरांची सही व शिक्का

सभासद आमंत्रण डॉक्टर / हॉस्पिटल / लॅब इ. साठी सूचना, अटी व नियम

- १) कायम सभासद फी रुपये १५००/- मात्र वेगळे चार्ज घेता लागेल. सदर फी ना परतावा असेल. २) रजिस्ट्रेशन / सभासद होते वेळी मुंबई नर्सिंग अँड सर्टिफिकेट देणे अनिवार्य / बंधनकारक असेल. याचप्रमाणे पूर्वी सभासद झालेल्या वैद्यकीय व्यावसायिकांनी पूर्वीचे रजिस्ट्रेशन फॉर्म जमा करून नव्या फॉर्म घेतेवेळी मुंबई नर्सिंग होम अँड वी झेरॉक्स कॉपी कंपनीकडे जमा करावी. ३) महाराष्ट्र प्रदूषण नियंत्रण मंडळाच्या मार्गदर्शक नियमांनुसार हॉस्पिटल मधील कचरा आपणास पुरविण्यात आलेल्या प्लास्टिकच्या बॅगमध्येच रिव्कारला जाईल. ४) दुसऱ्या कुठल्याही बॅग रिव्कारल्या जाणार नाहीत. मूत कचरा रिव्कारला जाणार नाही. सदर कलर कोड बॅगांचे चार्जस वेगळ्या स्वरूपात असतील. ५) मानवी अवयवांचा कुठलाही भाग कंपनी प्रतिनिधीत सुरक्षेला कळविल्याशिवाय टाकू नये. मानवी अवयवांचे चार्जस प्रती अवयव रु. ७००/- याप्रमाणे असतील. कृपया एच.आय.व्ही. तपासणी करणाऱ्या इतर वैद्यकीय व्यावसायिक यांनी इंजेक्शन सु्यां जाळून व क्लेश करूनच कचऱ्या टाकाव्या. ६) सोबत कुठल्या पेशंटचे अवयव आहे त्याचे नाव व म कोणत्या कारणाने सर्जरी झाली आहे असे नमूद करून सोबत लेटर हेडवर लिहून द्यावे. ७) मृत अर्भक डॉक्टर सर्टिफिकेट शिवाय रिव्कारली जाणार नाहीत/मृत स्त्री अर्भक कुठल्याही सवयीवर रिव्कारली जाणार नाहीत. ८) बायो मेडिकल वेस्टची विल्हेवाट डॉक्टर, हॉस्पिटल, लॅब इ. नी तयारी स्तरावर केल्यास त्याची सर्वस्वी जबाबदारी संबंधितांची राहिल. महाराष्ट्र प्रदूषण नियंत्रण मंडळाने त्याविरुद्ध कारवाई केल्यास आमच्या कंपनीची कुठल्या प्रकारची जबाबदारी राहणार नाही. याची कृपया नोंद घ्यावी. ९) जैविक घनकचरा उचलण्यासाठी कृपया कंपनी कर्मचाऱ्यांना दवाखान्याच्या आत येण्याचा व कचरा उचलण्याचा आग्रह करू नये. आपल्या कर्मचाऱ्यांकरवी कचरा दवाखान्याच्या गेटपर्यंत आणून सोडावा. १०) कचरा वर्गीकरण करून बंधनकारक राहिल. न केल्यास त्याचे चार्जस वेगळे घावे लागतील. ११) सदर असेलल्या डॉक्टर / हॉस्पिटल / लॅब यांना कचरा असो वा नसो मर्ग फी देणे बंधनकारक असेल. १२) दर महिन्याची फी त्या महिन्याच्या ९ ते १० तारखे दरम्यान झालेले देणे आवश्यक आहे. त्यानंतर विले झेण्यास येणे कर्मचाऱ्याला प्रत्येक व्हिजिटला रु. ५०/- अधिक आकारले जातील. (झालेले नंदुरबार बँच पेयेबल लिहावे. सदरील अट बाहेरगावातील वैद्यकीय व्यावसायिकर लागू असेल.) १३) जनरल प्रॅक्टीशनर डॉक्टरांनी सभासद होतवेळी आपल्या हॉस्पिटलमध्ये असणाऱ्या डेंटलच्या संख्येबाबत कंपनीला कळविणे बंधनकारक आहे. जनरल प्रॅक्टीशनर डॉक्टर यांनी सुध्दा मुंबई नर्सिंग होम अँड सर्टिफिकेटची झेरॉक्स कॉपी देणे बंधनकारक असेल. १४) दवाखान्यातून निघणाऱ्या जैविक कचरा व प्लॅस्टिक सल्टाईन बोटल्स / निडल्स इ. कचऱ्यात देणे बंधनकारक आहे. न दिल्यास मंडळाकडून आपणावर दंडात्मक कारवाई करण येईल. १५) आमच्या सेवेविषयी कोणत्याही प्रकारची अडचण असल्यास कृपया दिलेल्या नंबरवर संपर्क करावा

चेअरमन - विकांत शिंदे मो 7507099333

PRINCIPAL

(नंदुरबार नगरपालिका)

Jijamata Education Society's
College of B.Sc.Nursing
Waghoda Road, Nandurbar

सिध्दीविनायक एन्टरप्राइजेस

जैविक घनकचरा बायो मेडीकल वेस्ट कंपनी (नंदुरबार जिल्हाकरीता)
 महाराष्ट्र प्रदुषण नियंत्रण मंडळ अंतर्गत
 वावद शिवार, ता. जि. नंदुरबार

Regd. No. MPCB/JD(PAMS)/BMW
 Nashik-25/2012, Dt. 8/10/2012

नं. 6063

महिना सप्टेंबर दि. 20/01/2021

डॉक्टरांचे नाव संचालक शा. निम दान्यलिन हॉस्पिटलचे नाव व पत्ता: प्रोडिकेभर सोनीकल शा. 50000, 100 के. प्रदीपेशा हॉस्पिटल नंबर ऑफ बेड्स गोवर्धन गिरी 1108 पॅथॉलॉजी लॅब (डी.एम.एल.टी.) पॅथॉलॉजी लॅब (एम.डी.) स्टॅल Number of beds-100 जनरल प्रॅक्टिशनर प्रति महिना रकम - प्राथमिक आरोग्य केंद्र -	महिना	रकम	
		रुपये	पैसे
	जानेवारी		
	फेब्रुवारी		
	मार्च		
	एप्रिल		
	मे		
	जून		
	जुलै		
	ऑगस्ट	500	
	सप्टेंबर		
	ऑक्टोबर		
	नोव्हेंबर		
	डिसेंबर		
	याकी		
	एकुण	500	

अधारी रुपय पानश रुपय मास

१

प्रो.प्रा. विक्रान्त शिंदे
 मो. 7507099333

PRESIDENT

Smt. Shobhatai D. More

FOUNDER PRESIDENT

Late. Dr. Dilip M. More

Ref. No. Jes/Cobn/ 231|2026

Date - 21 | 01 | 2026

प्रती,
जिल्हा आरोग्य अधिकारी
(आरोग्य विभाग)
जिल्हा परिषद, नंदुरबार
याच्या सेवेशी

विषय:- शैक्षणिक वर्ष २०२४-२०२५ व २०२५-२६ प्रवेशित B.Sc. Nursing च्या
विद्यार्थ्यांना प्रात्यक्षित सरावासाठी परवानगी मिळण्याबाबत


महोदय,

वरील विषयास अनुसरून, आपणास विनंती की, आमचे जिजामाता एज्युकेशन सोसायटी
कॉलेज ऑफ बी. एस्सी. नर्सिंग नंदुरबार महाविद्यालयांमधील प्रवेशित विद्यार्थी प्रथम सेमिस्टर ४० व
द्वितीय सेमिस्टर ६ विद्यार्थ्यांना आपल्या प्राथमिक आरोग्य केंद्र रकसवाडा, नंदुरबार येथे प्रात्यक्षिक
सरावासाठी करण्याची परवानगी मिळावी ही नम्र विनंती.

सोबत :- प्रथम सेमिस्टर विद्यार्थी यादी

द्वितीय सेमिस्टर विद्यार्थी यादी


Principal
Jijamata Education Society's
College of B.Sc. Nursing
Waghoda Road, Nandurbar


PRINCIPAL
Jijamata Education Society's
College of B.Sc. Nursing
Waghoda Road, Nandurbar

JES

www.jjamatabscnursing.edu.in

Jijamata Education Society's**COLLEGE OF B.SC NURSING**

Waghoda Road, Nandurbar, Tal & Dist - Nandurbar 425412 (M.)

Affiliated By MUHS College Code -153146, CET Code - 09437 Email - jjamatabscnursing@gmail.com

☎ 02564 - 297438

PRESIDENT

Smt. Shobhatai D. More

FOUNDER PRESIDENT

Late. Dr. Dilip M. More

Ref. No. Jes/Cobn/ 232 / 2026

Date - 30/01/2026

प्रति,

वैद्यकीय आरोग्य अधिकारी

नगरपालिका नंदुरबार, ४२५४१२

याच्या सेवेशी

विषय:- शैक्षणिक वर्ष २०२४-२०२५ व २०२५-२६ प्रवेशित **B.Sc. Nursing** च्या
विद्यार्थ्यांना प्रात्यक्षित सरावासाठी परवानगी मिळण्याबाबत

महोदय,

वरील विषयास अनुसरून, आपणास विनंती की, आमचे जिजामाता एज्युकेशन सोसायटी कॉलेज
ऑफ बी. एस्सी. नर्सिंग नंदुरबार महाविद्यालयांमधील प्रवेशित विद्यार्थी प्रथम सेमिस्टर ४० व द्वितीय सेमिस्टर
६ विद्यार्थ्यांना आपल्या नगरपालिका अंतर्गत असलेल्या आरोग्य केंद्रात प्रात्यक्षिक सरावासाठी करण्याची परवानगी
मिळावी ही नम्र विनंती.



[Handwritten Signature]
11/2/26
वारनिशी लिपिक
नंदुरबार नगर परिषद
अप प्राप्त दि. 1/2026

*[Handwritten Signature]***PRINCIPAL**Jijamata Education Society's
College of B.Sc. Nursing
Waghoda Road, Nandurbar