

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS

This Annexure to be verify at time of inspection by assessors

ALL SUPPORTING DOCUMENT POINT WISE IN CLEAR VISBLE MUST BE UPLOAD ON WEB SITE

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
	College		
1	<p style="text-align: center;">(All document must be available on web site)</p> <p>Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).</p>	Yes	Adequate
2	<p>Total constructed area of college building Attached Completion Certificate with Map</p> <p>(I) Administrative Section: Total Area 2624 sq.ft (which includes) Principal Room, P.A. Room, Reception cum Visitors lounge, Meeting hall, Account section, Record and Central store etc.</p> <p>(II) Lecture Halls: a) Total No. of Lecture Halls 04 b) IT enabled, Audio / Video teaching Aids . 04 c) Total area for lecture Halls 3500</p> <p>(III) Seminar or Conference or Examination Hall for nursing : a) Total Area 2000 Sq.ft. b) Total Seating Capacity 150 c) Audio / Video System and Other Facilities yes</p> <p>(IV) Library:- (Evidences to be attached) a) Total Area : 2500 sq.ft. Total No. of Books 451 Distribution of books First Semester – Second Semester -Third Semester Capacity of Reading Hall :- for Students 40 for Teachers 08 No. of Scientific Journals .00.No. of News Papers/Research Journals 00 Photo Copier Machine Available Drinking water & Washrooms Available b) Digital Library : No. of Computers 07 Internet Facility Available Speed:- 200mb</p> <p>(V) Teaching Departments: There shall be Five Teaching Departments as per MSR No. of department 05 Departmental Area 1200 sq No. of Books/ Charts / Models / Specimens (dry and wet) / Museum in each department information to be uploaded on college website.</p> <p>(VI) Laboratories :- Laboratories : As per MSR (6600 Sq.ft.) Total Area 8500 sq.ft Nursing Foundation and Medical Surgical Nursing Lab (1500 Sq.ft.), CHN (900 Sq.ft.), Nutrition (900Sq.ft.), OBG and Paediatric (900Sq.ft.), Pre-Clinical Science (900Sq.ft.), Advanced Nursing Skill Lab (900Sq.ft.), Computer Lab (1500Sq.ft.), with 1:5 computer as per Intake capacity, AV Aids, well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms</p>	Yes	Adequate
		Yes	Adequate
		Yes	Adequate
		Yes	Adequate
		Yes	Adequate
		Yes	Adequate



<p>(VII) Auditorium:- (As per MSR) Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.</p> <p style="text-align: center;">OR</p> <p>Multipurpose Hall:- College of Nursing should have own multipurpose hall</p>	Yes	Adequate
---	-----	----------

	Yes	Adequate
<p>(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]</p>	Yes	Adequate
<p>(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)</p>	Yes	Adequate
<p>3 University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility</p>	Yes	Adequate
<p>4 Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility</p>	Yes	Adequate
<p>5 Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns; Residents, Warden/ Rector, Hygiene, Vending Machine etc.</p>	Yes	Adequate
Hospital attach Relevant Document on web site		
<p>6 Hospital Details</p>	Details on College Website	Adequate/ Inadequate
<p>Name of the Hospital :</p>	Yes	Adequate
<p>Address:</p>		
<p>Telephone No. :</p>		
<p>Bed Strength :</p>		
<p>Distance of Hospital from the College to which it is attached (in kms)</p>	3 km	Adequate
<p>Number of beds registered as per BNH Act (attach certificate on web site)</p>	Yes	Adequate
<p>7 I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (.....Sq.mtr. / Sq.ft.)</p>	Yes	Adequate
<p>Whether the Hospital is Owned by the College</p>	Yes	Adequate
<p>II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)</p>	Yes	Adequate
<p>III. Out-Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's</p>	Yes	Adequate
<p>Facilities shall be as per MSR & all details shall be on college website.</p>		
<p>IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments..... Bed Distribution.....</p>	Yes	Adequate
<p>Facilities shall be as per MSR & all details shall be on College website.</p>		
<p>V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available</p>	Yes	Adequate
<p>Facilities shall be as per MSR & all details shall be on college website.</p>		
<p>VI. Casualty Facilities State Government Permission Letter attach copy on web site</p>	Yes	Adequate



VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes	Adequate
VIII. Radiology or Sonography Section:- :- (all Relevant information on hospital letter head to be uploaded on web site) Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	Adequate
IX. Labor Room :- Average Deliveries conducted annually/Monthly/ Daily as per Birth record maintained by hospital:- (information to be available on web site)	Yes	Adequate

BASIC DETAILS ABOUT INFRASTRUCTURE CHECK LIST

PARTICULAR TO BE VERIFY BY ASSESOR	YES / NO	Remark
Certified Copy of Location Of College Building Address by Government authority (Search Report) to be uploaded at website	Yes	
Certified Copy of Location Of Hostel Building Addressed by Government authority (Search Report) to be uploaded on website	Yes	
Is Separate College Building Not Available { Attach resolution of Trust /owner for Area Allocation } to be uploaded on website		
Is Separate Hostel Building Available { Attach resolution of Trust /owner for Area Allocation} to be uploaded at website		
Authorized Building Plan approved by Competent Authority to be uploaded at website	Yes	
Availability of Building Completion (College / Hostel) Certificate by Competent Authority to be uploaded at website	Yes	
Lease or Rent Agreement of College if Required to be uploaded at website		
Provision Of Fire Safety Measure as per standard norms of Government	Yes	
Fire Safety Certificate for College , Hostel And Hospital to be uploaded at website	Yes	
General Student Safety Measures done in Building as per norms	Yes	
Provision for facility Physically Challenged Students	Yes	
OTHER INFRASTRUCTURAL PROVISIONS	YES/NO	REMARK
Playground (Playground should be spacious for outdoor sports like volleyball, football, badminton and for athletics)	Yes	
Provision for Physical Teacher for Student in College And Hostel	Yes	
Garage (Garage should accommodate a 50 seated vehicle)	Yes	
Gymnasium Facility to be uploaded on website	Yes	

Any Other Remarks (Please Specify) :-

Here by I declare all relevant document uploaded are clear and visible on web site are true as per my best knowledge:-

Date:- 30/01/2025

Signature



S. Kulkarni
Principal
Jijamata Education Society's
College of B.Sc.Nursing
Waghoda Road, Nandurbar



महाराष्ट्र शासन

गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र जमीन महसुल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम १९७१ यातील नियम ३,५,६ आणि ७]

गाव :- वाघोदे (५२५६८५)

तालुका :- नंदुरबार

जिल्हा :- नंदुरबार



PU-ID : 20653334551

भुमापन क्रमांक व उपविभाग

५/२/अ/२/५/२/ब

20653334551

भुधारणा पद्धती भोगवटादार वर्ग -१

शेताचे स्थानीक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नाव	क्षेत्र	आकार	पो.ख.	फेरफार क्र	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक आर.चौ.मी	२८	चेअरमन श्रीमती शोभाबाई दिलीप मोरे जिजामाता शिक्षण संस्था	८१.००.००	१६२०.००		(९३७३)	कुळाचे नाव व खंड
अकृषिक क्षेत्र							इतर अधिकार
बिन शेती	८१.००.००						अकृषिक वापर - वाणिज्य (गावाठाणा बाहेरील) शैक्षणिक प्रयोजन (९३७३)
बिन शेती	१६२०.००						प्रलंबित फेरफार : नाही.
आकारणी							शेवटचा फेरफार क्रमांक : ९३७३ व दिनांक : २७/०७/२०२२



जुने फेरफार क्र : (१४४७) (१६०२) (१६४६) (१८१६) (८१६०) (८१६१) (८१९७) (८१०४) (९०११)

सीमा आणि भुमापन चिन्हे :

हा गाव नमुना क्रमांक ७ दिनांक २७/०७/२०२२:०३:००:३८ PM रोजी डिजिटल स्वाक्षरीत केला आहे व गाव नमुना क्रमांक १२ चा डेटा स्वयंप्रमाणित असल्यामुळे ७/१२ अभिलेखावर वर कोणत्याही सही शिक्क्याची आवश्यकता नाही.

७/१२ डाउनलोड दि. : ०५-०३-२०२५ : १२:१४:२२ PM. वैधता पडताळणीसाठी <https://digitalsatbara.mahabhumi.gov.in/dslr/> या संकेत स्थळावर जाऊन 0105100001275624 हा क्रमांक वापरावा.

पृष्ठ क्र. १/२

Digitally signed



गाव नमुना बारा (पिकांची नोंदवही)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम १९७१ यातील नियम २९]

गाव :- वाघोदे (५२५६८५)

तालुका :- नंदुरबार


जिल्हा :- नंदुरबार

भूमापन क्रमांक व उपविभाग ५/२/अ/२/५/२/ब

पिकाखालील क्षेत्राचा तपशील								लागवडीसाठी उपलब्ध नसलेली जमीन		शेरा
वर्षे	हंगाम	खाते क्रमांक	पिकाचा प्रकार	पिकांचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र	
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)	(११)
					आर.चौ.मी	आर.चौ.मी			आर.चौ.मी	

टीप : ** सदरची नोंद मोबाइल ॲप द्वारे घेणेत आलेली आहे






श्री. श्री. ~~श्री. श्री.~~ चे भद्रमन श्रीमती शोभागाई दिक्षिप मोरे निजामाता
शिक्षण संस्था (शैक्षणिक वास्तुसाठी)

आपला मोजे वाघोडा ता.नि.नंदुरबार शिवारातील सर्वे
नं. ५/२१ पैकी प्लॉट नं. — क्षेत्रफळ चौ.मी. (१९००.००) मालकीचा
असुन त्यास मुंबई ग्रा.पं. अधिनियम १९५८ चे कलम ५२ अन्वये
मंजुर नकाशा प्रमाणे २१००.४३५ चौ.मी. इतक्या जागेवर शैक्षणिक
वास्तु साठी खालिल अटी व शर्तीना अधीन राहुन
बांधकाम परवानगी देण्यात येत आहे.

अटी व शर्ती---

- १) बांधकाम परवानगी मुदत ६ महिन्या पर्यंत राहिल विहित मुदतीत बांधकाम सुरु न केल्यास पुर्नपरवानगी साठी प्रस्ताव सादर करावा लागेल.
- २) परवानगी ज्या हेतुसाठी आहे, त्या साठीच वापर करावा.
- ३) मंजुर नकाशा प्रमाणे बांधकाम करावे. ज्यादा बांधकाम अतिक्रमण समजले जाईल. तसेच मंजुर नकाशा प्रत सदैव बांधकामावर उपलब्ध ठेवावी.
- ४) सांडपाण्याचे गटार व सेप्टिक संडासाचे पाणी यांची विव्हेवाट स्वःताच्या जागेत शोष खड्डा खोदून करावी.
- ५) बांधकामासाठी लागणारे साहित्य दर्जेदार अर्थात भारत सरकार मान्यता प्राप्त (आय.एस.आय.) असावे.
- ६) बांधकाम सुरु करण्या पुर्वी ज्या इसमाकडून प्लॉट खरेदी केला असेल त्याच्या कडून लेआऊट वरून आपल्या प्लॉटाची जागा निश्चित करून घेण्याची जबाबदारी आपली राहिल.
- ७) अधिकृत परवाना धारक यांच्या देखरेखीखाली बांधकाम करावे.
- ८) शेजारील जमिन, घर अगर प्लॉट धारकास सार्वजनिक मालमत्तेचे वहिवाटीचे हक्कास अगर हित संघास बाधा येता कामा नये.
- ९) पर्यावरणाचा समतोल राखणे कामी आपल्या घरासमोर स्वमालकीच्या जागेत किमान दोन झाडे लावावीत.
- १०) ग्रा.पं.ने वेळोवेळी आकारलेले कर भरणे आपणांवर बंधनकारक राहिल.
- ११) प्रदुषण नियंत्रण मंडळाने वेळोवेळी निर्गमित केलेले आदेश आपणावर बंधनकारक राहतील.

वरील अटी व शर्तीचे उल्लंघन झाल्यास आपणांस देण्यात आलेली बांधकाम परवानगी मुंबई ग्रा.पं.अधिनियम १९५८ चे कलम ५२(६) अन्वये रद्दबातल ठरवण्यात येईल, याची नोंद घ्यावी.

 १/११/२००४

ग्रामसेवक

ग्राम पंचायत वाघोडे

जावक क्रमांक : बांधकाम / न. र. / ४६८३ / २००६
नंदुरबार नगरपालिका कार्यालय, नंदुरबार
दिनांक : १२/१२/२००६

- बांधकाम परवानगीचे प्रारंभ प्रमाण पत्र -



विषय : बांधकाम परवानगी देणे बाबत....

548

संदर्भ : आपला अर्ज व नकाशे दिनांक : १६/१२/२००६

श्री / श्रीमती : राजेश डोभू वसावे
यांना सि. स. नं. / स. नं. १६६/११/१९ मधीर प्लॉट नं. ३७ जागेत
रहासे इमारती (८ तळ ५ प्रथम प्रयोजन) बांधकामा करिता

महाराष्ट्र प्रादेशिक नगर रचना अधिनियम १९६६ चे कलम ४४ आणि त्या खालील नियमावली यास अनुसरून खालील अटीवर परवानगी देणेत येत आहे.

- १) ह्या परवानगीची मुदत दिलेल्या तारखे पासून १ वर्षांपर्यंतच राहिल, त्या मुदतीत बांधकाम झाले पाहिजे. मुदत संपल्यानंतर मुदत वाढीचा अर्ज न दिल्यास ही परवानगी रद्द होईल व ही मुदतवाढ १ वर्षाची राहिल, त्यानंतर पुन्हा नवीन प्रकरण करावे लागेल.
- २) ही परवानगी ज्या हेतुसाठी आहे त्या हेतुसाठीच त्याचा उपयोग केला पाहिजे.
- ३) सर्व बांधकाम मंजूर नकाशा प्रमाणे करणे आवश्यक आहे, त्यात काही फेरबदल करावयाचा असल्यास करण्यापूर्वी तशी नगरपालिकेची लेखी परवानगी घेतली पाहिजे.
- ४) मंजूर नकाशाची प्रत कामाचे जागेवर बांधकाम तपासणीसाठी सदैव उपलब्ध असली पाहिजे. नगरपालिका बांधकाम खात्याचे अधिकारी यांना केव्हाही बांधकाम तपासणीचा अधिकार आहे.
- ५) बांधकामाचे साहित्य व तसेच खोद कामातील माती, मुरूम वगैरे सार्वजनिक रस्त्यावर ठेवु नये व रहदारीला अडथळा करून नये व रस्त्यावर मटेरीयल टाकल्यास नगरपरिषदेला जागा भाडे द्यावे लागेल.
- ६) नंदुरबार विकास आराखड्या प्रमाणे मंजूर नकाशा प्रमाणे रेषा लाईन मध्ये जाणारा भाग सोडूनच बांधकाम केले पाहिजे.
- ७) इमारतीचे पूर्ण बांधकाम झाल्यानंतर रितसर अर्ज व नकाशे सादर करून बांधकाम पूर्ण झाल्याचे भोगवटा प्रमाणपत्र घेवून मंगच इमारतीचा वापर सुरू करावा. तसेच महाराष्ट्र नगरपालिका नगरपंचायती व औद्योगिक नगरी अधिनियम १९६५ कलम १९३ व महाराष्ट्र प्रादेशिक व नगर रचना अधिनियम १९६६ अन्वये पूर्व परवानगी शिवाय इमारतीचा वापर करणेस सक्त मनाई आहे.
- ८) सदर मिळकतीची नोंद नगरपालिकेच्या प्रॉपर्टी रजिष्टर मध्ये केली पाहिजे, न केल्यास तो कायद्याप्रमाणे गुन्हा आहे.
- ९) ज्या ठिकाणी नगरपालिकेचा नळ व पाणी पुरवठा उपलब्ध आहे तेथे पाणी बांधकामाचे मुदतीत नगरपालिकेची रितसर परवानगी घेवून वापरता येईल. मात्र बांधकामाचे मुदतीत नगरपालिका ठरविलेला त्या प्रमाणे बांधकामा करिता वापरावयाच्या पाण्याचे बिल आगावू द्यावे लागेल.
- १०) सांडपाण्याचे गटार व सेप्टिक संडासाचे पाणी याचे विल्हेवाट स्वतःचे प्लॉट मध्ये मध्ये शौच खड्डा खोदुन केली पाहिजे.
- ११) बांधकामासाठी लागणारे साहित्य चांगल्या दर्जाचे व प्रतीचे असावे.

- २७) शेजारील जमीन अगर धरमालकाचे सार्वजनिक मालामतेचे व्हिवाटीचे हक्कास अगर हितसंबंधास बाधा येता कामा नये.
- २४) इमारतीचे सभोवतालच्या जागेत कमीम कमी ५ झाडे लावावीत.
- २५) मंजुर नकाशा पेक्षा जादा बांधकाम केल्यास अतिक्रमण समजण्यांत येईल व नगरपालिका नियमानुसार तो गुन्हा समजून कारवाई केली जाईल.
- २६) राहण्याच्या जागेचा वापर गोदाम, बखार, धर्मशाळा, कारखाना, तबेला किंवा गॅरेज म्हणून करता कामा नये, तसेच ज्वालाप्राही पदार्थासाठी वापर करता येणार नाही.
- २७) बांधकामाचे बांधकाम पुर्ण झाल्यावर नगरपालिका इंजिनियर यांचे कडून पुढील काम सुरू करणे पुर्वी दाखल (रिटिफिकेट) घेणे आवश्यक आहे.
- २८) बांधकामाचा पाया हार्ड - स्ट्रुटा पर्यंत घ्यायला.
- २९) मालकता सत्ता प्रकार सी/सरकारी असल्याने संबंधीत प्राधिकरणाची मंजूरी घेवूनच बांधकाम करावे.
- २०) नियोजित बांधकाम भुकंप रोधक करणेचे दृष्टीने सक्षम स्थापत्य अभियंत्याकडून भारतीय मानक संस्थेने पर्याणित केल्याप्रमाणे नकाशे व आराखड्याची प्रत नगरपरिषदेकडे सादर करावी.
- २१) भारतीय मानक संस्थेने विहित केलेल्या तरतुदीनुसार बांधकाम पुर्ण करून घेणेत आलेचा दाखल सक्षम अभियंत्याकडून प्राप्त करून घेवून सादर केल्यानंतर बांधकाम पुर्णत्वाचा दाखला देणेत येईल.
- २२) सि. सी. कार्यालयाच्या अधिकाऱ्याकडून प्रत्यक्ष जागेवर मार्कींग करून घेणे बंधनकारक राहिल, त्यानंतर आपल्या अभियंता मार्फत लाईन आवट करावे मगच प्रत्यक्ष बांधकामास सुरूवात करावी.
- २३) बांधकाम प्रारंभा पासुन बांधकाम पुर्ण होई पर्यंत अभियंता / वास्तुविशारद यांचीच देखरेख राहिल व त्यांचेच प्लॅन भोगवटा प्रमाण पत्रासाठी सादर करावेत. जर बदल करावयाची असेल तर सुधारीत संबधीत अभियंता / वास्तुशास्त्रज्ञ / सुपरवायझर यांचा परवानगी प्रस्ताव सादर करावा लागेल.
- २४) जलपुरतः पारणा (सि वॉटर हार्व्हेस्टिंग) व्यवस्था करणे बंधनकारक राहिल.
- २५) साडपाण्यांचा निचरा होणेसाठी भुखंडाच्या हद्दीत शोषखड्ड्याची व्यवस्था करावी.
- २६) नगर परिषदेने ठराव क्र. ३९ दि. २०/७/२००३ अन्वये विकास करात वाढ करणेचा निर्णय घेतला असून दि. १/४/२००४ पासुन वाढीव दर लागू केला आहे. सदरच्या प्रस्तावास शासनाने पुर्वलक्षी प्रभाव मंजूरी दिल्यास त्या प्रमाणे वाढीव विकासावर भरणे बंधनकारक राहिल.

.....

वरील प्रकी कोणत्याही शर्तीचा भंग केल्यास तो गुन्हा समजण्यांत येईल व दिलेली परवानगी रद्द करणेबाबत धरताही करणेत येईल.

मुख्याधिकारी
 नंदुरबार नगर परिषद

सा. जिन. अधिकारी, नंदुरबार यांना

१) बांधकाम पुर्णत्वाची प्रत पुढील कार्यवाहीसाठी सविनय सादर.

२) भारतीय मानक संस्थेने

(Handwritten signature)

AR. DHIRAJ S. PATIL

Architects, Planners and Interior Designers

OFFICE : 7, NILESH APT., NEAR KULKARNI GARDEN, BEHIND SHRADDHA HOSPITAL,
SHARANPUR ROAD, NASHIK - 422 002. M.S., INDIA
PHONE : 0253 - 2581433, Cell : 94222 47248
E-mail : ardhirajpatil@yahoo.com

DESIGN BUREAU

**CERTIFICATE TO BE DULY ENDORSED BY AN ARCHITECT
REGISTERED WITH COUNCIL FOR ARCHITECTURE**

COMPLETION CERTIFICATE

This is to certify that the wing of J.E.S's College of B.Sc Nursing building has been constructed under my supervision and is now finished up to completion level in survey no. 5/2/2 At Waghoda, Tal. & Dist. Nandurbar - 425412. Total Builtup Area is 4179.596 sq.mt

In this building sewage disposal system was installed & toilets are created in barrier free environment with proper ventilation & all weather approach road was constructed.

AR. DHIRAJ S. PATIL
B. ARCH

REG. NO. CA/2002/29015
OFF : 7, NILESH APT., NEAR KULKARNI GARDEN
SHARANPUR ROAD, NASHIK-2. PH 0253-2581433



SECRETARY
Jijamata Education Society's
Nandurbar - 425412



Nandurbar Municipal Council

APPENDIX 'I'

OCCUPANCY CERTIFICATE



Approval No.: CBCNM/FO/2020/APL/00001

Date:08/09/2020

To,

DR SAMRADNYI SHIRISH SHINDE,

DR SHIRISHKUMAR NIMBAJIRAO SHINDE,

DR RAJESH GEMU WASAVE,

PLOT NO. 65+66+67 ON S. NO. 241/A/B+242/3+241/A-B, 242/4 GOVARDHAN HILLS,
NANDURBAR

Sir/Madam,

The full development work / erection re-erection / or alteration in of building No **COMMERCIAL** Plot No **65-66-67**, Revenue Survey No. **241-A-B-242-3-241-A-**, City Survey No. -----, mauje **NANDURBAR** , situated at Road/Street **KHODAI MATA ROAD**,Society **NANDURBAR** completed under the supervision of **SANJAY MHALAS** Architect License No **CA/1987/10988** may be occupied on the following conditions-

- 1 - Minimum 5 Tree to be planted compulsory.
- 2 - Rain water harvesting work done is compulsory.

A set of certified completion plans is returned here with.
Encl : As above..

Signature valid

Digitally signed by RAJENDRA
VASANTRAO SHINDE
Date: 2020.09.10 12:25:03 IST
Reason:
Location:

Yours faithfully,
Chief Officer.

Nandurbar Municipal Council

TRUE COPY

FOR THE DESIGNERS COLLECTIVE

G. MHALAS

Regd. No. CA/87/10988

Address
34, Hinglaj Mata Nagar
Dhule Road,
Nandurbar - 425412 (M.S.)
Mo. 8007080283
email - nar_ner643@yahoo.com

Narendra T. Jadhav
B. ARCH.
Consulting Architect- CA/2006/38050
Architecture, Allied Fields,
Interior Designer.

WORK COMPLETION CERTIFICATE


This is to certify that the construction work of hostel building of shri. Rajesh gemu vasave of ground floor and first floor in s.no -188/1B p.no- 37 at Nandurbar, tal-dist- Nandurbar is completed as per plan .

Total Builtup Area is 231.13 sq.mt

Hence certified


Ar. Narendra Tukaram Jadhav
Architect, Interior &
Landscape Designer
Mob. 8007080283




SECRETARY
Jijamata Education Society's
Nandurbar - 425412